

“Electronic Cigarette” Atomized Cartridge

“Electronic Cigarette” Atomized Cartridge Instruction



FARSEE TECHNOLOGY CO., LIMITED

Tel: 86-755-21966705

Fax: 86-755-86003005

info@farseegroup.com

<http://www.farseegroup.com>

About cartridge and nicotine.

“Electronic Cigarette” Atomized cartridge contains nicotine。 Nicotine is extracted from the tobacco leaf or some other plants containing nicotine. It is a natural alkaloid and it is also the material to satisfy smokers’ addiction. The “Strength” has direct relationship to the content of the nicotine. When the nicotine is taken in, it only takes seven to nine seconds for the nicotine gets into the blood and reaches the brain. Then the smoker will get the smoking pleasure. In the smog of the common cigarette, there are more than 4000 kinds of different chemical materials. Among these materials, hundreds of them are very harmful to the human beings. There are more than 25 kinds of illness being caused by smoking. Especially there are nitrosamine and polycyclic aromatic hydrocarbons (PAH) that are considered as the source material of cancer in the smog of the common cigarette. In the past several years, researchers and specialists have worked out and proved the famous theory of Nicotine Replacement Therapy (NRT). And NRT has being strongly promoted by World Health Organization – WHO as the safe, effective and scientific way to quite smoking. “Electronic Cigarette” atomized cartridge doesn’t contain the harmful materials like TAR and carbon monoxide, etc. The atomized cartridge could minimize the smoking harms for most smoke-quitters. The high-purity nicotine liquid could release the quitter from discomfort reaction during smoke abstention. This device has been tested and approved safely by National Foodstuff Inspection Center and some other related organizations.



Compare atomized cartridge with common cigarette.

Because each smoker has different habit and favorable brands, the absorbed nicotine will be different for different smokers. E.g. normally the mark 1.1mg on the cigarette box means the nicotine taken in by smoker is 1.1mg. And the nicotine for a box is $1.1\text{mg} \times 20 = 22\text{mg}$. Each cartridge could be smoked for about 300 times, i.e. one cartridge is equal to a box of cigarettes (20pcs). So its nicotine content will be much less than the common cigarette with the same "strength". The content of the nicotine could be divided into four types:


HIGH Nicotine Content: 16mg)

MED (Nicotine Content: 11mg)

LOW (Nicotine Content: 6mg)

No (Nicotine Content: 0mg)

Among the above contents, 16mg、11mg and 6mg are just for the procedure to quite smoking, and 0mg is for long-term use.



Usage:

One common cigarette could be smoked 14 to 16 times normally. With the E-cigarette, please stop smoking after 14 to 16 times (be equal to one cigarette). Then after half of an hour, you could re-smoke it.

Notices for use of cartridge:

1. Before using the cartridge, please read the instructions carefully.
2. The cartridge is the special accessory and must be used with the electronic cigarette only.
3. The cartridge is a kind of disposable product, do not reuse. Please dispose of it properly after use, and keep it out of children's reach.
4. When assemble the cartridge, please open the package, take off the plastic cap in the end of the cartridge and then insert the cartridge into the device.



How to use this product to quite smoking?

The electronic cigarette atomized cartridge is designed by the theory of "Nicotine Replacement Therapy (NRT)". When using it, you are suggested to use it with 0mg first. After the smoker finds his suitable content, he could reduce the content of nicotine step by step to quite smoking naturally.

To use 0mg nicotine, if the smoker has no other bad feeling, please go on use 0mg nicotine. This means you have been away from the common cigarette. If the 0mg could not meet your requirements, please use 6mg to have a try. If it is ok, there is no need to use higher nicotine. If 6mg is not available, please choose the higher nicotine to have a try accordingly. Then after a term of use, please step-down the content of nicotine you absorbed.. At last you have quitted smoking successfully.

Use the cartridge to quite smoking.

The below advise is based on 16mg content. If the lower nicotine could meet your demands, please adjust the steps accordingly. E.g. if 11mg is suitable for you, you just need to adjust the four steps into three steps.

First step: Use cartridge with high nicotine of 16mg for 6weeks by normal smoking habit.

Second step: Use cartridge with medium nicotine of 11mg for 12weeks by normal smoking habit.

Third step: Use cartridge with low nicotine of 6mg for 4weeks by normal smoking habit.

Forth step: Use cartridge without nicotine of 0mg for three weeks to achieve the goal of smoke abstention.

This method applies to people who have strong desire to quite smoking. The feeling and time of every step may be different according to different people.

Precautions for use of cartridge.

1. Storage: Keep in cool and dry place. Shelf life: 24 months.
2. Keep it out of children's reach.
3. Do not put it into mouth or contact with mucous membrane.
4. Please use it before the expiry date printed on the package.
5. User unsuitable for smoking is forbidden to use it.
6. Nicotine and atomizing agent in the cartridge shall be prepared strictly in correct proportion. Mixing with other liquid is forbidden.